**Web**Results 1 - 97 of about 208 for **infiniband promiscuous clients**. (0.94 seconds)**IP over InfiniBand (ipoib) Charter**

Current RFC2236/2710 require interface on routers to be in promiscuous ...

Another concern was making sure it was clear that the client-id should be ...

[www.ietf.org/proceedings/02mar/141.htm](http://www.ietf.org/proceedings/02mar/141.htm) - 18k - [Cached](#) - [Similar pages](#)**INTERNET DRAFT <draft-ietf-ipoib-architecture-04.txt> Vivek ...**

1.1 InfiniBand Architecture Specification Kashyap [Page 2] INTERNET-DRAFT ...

4.5 DHCPv4 and IPoIB DHCPv4 [RFC\_2131] utilizes a 'client identifier' field ...

[www.ietf.org/internet-drafts/draft-ietf-ipoib-architecture-04.txt](http://www.ietf.org/internet-drafts/draft-ietf-ipoib-architecture-04.txt) - 56k - [Cached](#) - [Similar pages](#)[ [More results from www.ietf.org](#) ]**Sun Inner Circle**

InfiniBand (IB): A high bandwidth, low-latency interconnect fabric that offers

... Network File System (NFS) — A client/server application designed by Sun ...

[www.sun.com/emrkt/innercircle/newsletter/0704glossary.html](http://www.sun.com/emrkt/innercircle/newsletter/0704glossary.html) - 37k - [Cached](#) - [Similar pages](#)**INTERNET-DRAFT HK Jerry Chu <draft-ietf-ipoib-link-multicast-01 ...**

... link-multicast-01.txt March 2002 clients of the ... another through IB routers at the

InfiniBand network layer ... usually done by turning on promiscuous multicast mode ...

[www.potaroo.net/ietf/old-ids/draft-ietf-ipoib-link-multicast-01.txt](http://www.potaroo.net/ietf/old-ids/draft-ietf-ipoib-link-multicast-01.txt) - 29k - Supplemental Result - [Cached](#) - [Similar pages](#)**The NextINET Browser**

... 850 MB/sec have been achieved with Infiniband. ... Storage Resource Broker (SRB) is client-server middleware ... Promiscuous caching therefore requires redundancy and ...

[www.nextinet.org/nextnet/browser.html\(opt,mozilla,pc,english,,NextINet\)?type=13&thesaurus=0500](http://www.nextinet.org/nextnet/browser.html?opt,mozilla,pc,english,,NextINet)?type=13&thesaurus=0500) - 40k - Supplemental Result - [Cached](#) - [Similar pages](#)**Alacritech / Frequently Asked Questions**

By optimizing TCP/IP performance in digital media servers and clients, ...

IT managers will use InfiniBand for clustering applications within data centers, ...

[www.alacritech.com/html/faqs.shtml](http://www.alacritech.com/html/faqs.shtml) - 54k - [Cached](#) - [Similar pages](#)**Topic list for Tom Sheldon's "Encyclopedia of Networking and ...**

InfiniBand Information Appliance Information Warehouse Information Warfare Infrared

Technologies ... Promiscuous Mode Propagation Delay Protocol Analyzers ...

[www.linktionary.com/topic\\_list.html](http://www.linktionary.com/topic_list.html) - 69k - [Cached](#) - [Similar pages](#)**www.CplusplusSearch.com - Dedicated Career Site for C++ ...**

... The board had Infiniband Connectors also and was used to ... server processes the request of each client in a ... a machine enter into a so-called promiscuous mode to ...

[wwwcplusplussearch.com/adidocs5/Detail.cfm?detail\\_id=57181&QUERY\\_AMOUNT=25](http://wwwcplusplussearch.com/adidocs5/Detail.cfm?detail_id=57181&QUERY_AMOUNT=25) - 23k - Supplemental Result - [Cached](#) - [Similar pages](#)**INTERNET DRAFT Sean Harnedy InfiniSwitch Corp. Expiration Date ...**

... but one could create a promiscuous device conceivably. ... The ifIndex of the IPOIB InfiniBand interface (port ... STATUS current DESCRIPTION "A Client Identifier for ...

[ietffile.ietf.org/old-ids/draft-ietf-ipib-mib-02.txt](http://ietffile.ietf.org/old-ids/draft-ietf-ipib-mib-02.txt) - 62k - Supplemental Result - [Cached](#) - [Similar pages](#)**Index from Microsoft Encyclopedia of Networking 2nd Edition by ...**

Infiniband bus, 194 information events, 97, 450 logging to system log, 1087 ...

Multicast Address Dynamic Client Allocation Protocol (MADCAP), 734, 790 ...

[www.microsoft.com/mspress/books/index/5202b.asp](http://www.microsoft.com/mspress/books/index/5202b.asp) - 63k - [Cached](#) - [Similar pages](#)**What's new in Subversion vs. the current release?**

Added first version of Infiniband RPI module ( ib ). ... Added "promiscuous" and "expected" modes for base SSI boot protocols, where connections are ...

[www.lam-mpi.org/svn/new.php](http://www.lam-mpi.org/svn/new.php) - 52k - [Cached](#) - [Similar pages](#)**[PDF] LAM/MPI Installation Guide Version 7.1.1**File Format: PDF/Adobe Acrobat - [View as HTML](#)

LAM/MPI supports the Infiniband RPI using the Mellanox Verbs API (VAPI). ...

By default, LAM's base boot SSI startup protocols disable promiscuous ...

[www.lam-mpi.org/download/files/7.1.1-install.pdf](http://www.lam-mpi.org/download/files/7.1.1-install.pdf) - [Similar pages](#)[ [More results from www.lam-mpi.org](#) ]

**[fm-news] Newsletter for Sunday, January 16th 2005**

... Changes: Enhancements to InfiniBand support. ... It can listen on a promiscuous network interface or ... 00:04 Communications :: Email :: Email Clients (MUA) Internet ...  
[www1.ccone.at/NEWS/msg02247.html](http://www1.ccone.at/NEWS/msg02247.html) - 58k - Supplemental Result - [Cached](#) - [Similar pages](#)

**[PDF] Symbols**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 promiscuous mode, 97. Internet service provider, 105. ip command, 235 ... IP over Infiniband, 150. Lightweight Directory Access Proto-. col, 269 ...  
[www.phptr.com/content/images/0131448536/index/0131448536\\_index.pdf](http://www.phptr.com/content/images/0131448536/index/0131448536_index.pdf) - [Similar pages](#)

**Three's Company on 802.11 Planet**

... Compatibility Alliance (WECA), said Wi-Fi was a "promiscuous technology," outstripping ... spectrum space, both agreed that a universal client would eventually ...  
[news.earthweb.com/wireless/article.php/1364281](http://news.earthweb.com/wireless/article.php/1364281) - 49k - Supplemental Result - [Cached](#) - [Similar pages](#)

**INTERNET-DRAFT HK Jerry Chu <draft-ietf-ipoib-link-multicast-03...>**

... appropriate for all the potential clients of the ... IP Multicast Packets Multicast in InfiniBand differs in ... achieved by turning on the **promiscuous** multicast mode ...  
[www.ietf.cnri.reston.va.us/proceedings/03mar/I-D/draft-ietf-ipoib-link-multicast-03.txt](http://www.ietf.cnri.reston.va.us/proceedings/03mar/I-D/draft-ietf-ipoib-link-multicast-03.txt) - 31k - Supplemental Result - [Cached](#) - [Similar pages](#)

**INTERNET-DRAFT HK Jerry Chu <draft-ietf-ipoib-link-multicast-00...>**

... are appropriate for all the potential clients of the ... through IB routers at the InfiniBand network layer ... is usually done by turning on **promiscuous** multicast mode ...  
[www.ietf.cnri.reston.va.us/proceedings/02mar/I-D/draft-ietf-ipoib-link-multicast-00.txt](http://www.ietf.cnri.reston.va.us/proceedings/02mar/I-D/draft-ietf-ipoib-link-multicast-00.txt) - 30k - Supplemental Result - [Cached](#) - [Similar pages](#)  
[\[ More results from www.ietf.cnri.reston.va.us \]](#)

**[PDF] Symbols**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... classes of, 546 connection point identifier, 550, 556 example of, 549, 551  
 fiber-optic, 54, 96, 98, 110, 139, 146, 149, 153, 546, 548 Infiniband reduction ...  
[informit.staging.informit.mittech.com/content/images/0131448536/index/0131448536\\_index.pdf](http://informit.staging.informit.mittech.com/content/images/0131448536/index/0131448536_index.pdf) - Supplemental Result - [Similar pages](#)

**[PDF] Enscript Output**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... are appropriate for all the potential clients of the ... Multicast in InfiniBand differs in a number of ways ... achieved by turning on the **promiscuous** multicast mode ...  
[www.cs.utk.edu/~moore/ID-PDF/draft-ietf-ipoib-link-multicast-04.pdf](http://www.cs.utk.edu/~moore/ID-PDF/draft-ietf-ipoib-link-multicast-04.pdf) - Supplemental Result - [Similar pages](#)

**[PDF] Enscript Output**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... For current InfiniBand interfaces, this will be equal to 2,000, 8,000, or 24,000.  
 ifPromiscuousMode Usually "false" but one could create a **promiscuous** device ...  
[www.cs.utk.edu/~moore/ID-PDF/draft-ietf-ipoib-ibif-mib-05.pdf](http://www.cs.utk.edu/~moore/ID-PDF/draft-ietf-ipoib-ibif-mib-05.pdf) - Supplemental Result - [Similar pages](#)  
[\[ More results from www.cs.utk.edu \]](#)

**[PDF] Linux/SimOS - A Simulation Environment for Evaluating High-speed ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 simulated machine, it can act as an Internet node, such as a NFS client or a Web ...  
 ... how the next generation of HCA should be designed for the InfiniBand ...  
[academic.csuohio.edu/yuc/papers/Ben-ICPP2002.pdf](http://academic.csuohio.edu/yuc/papers/Ben-ICPP2002.pdf) - [Similar pages](#)

**Mailing List Stats For This Week We looked at 1608 posts in 10MB ...**

1 posts in 10KB for "[patch 13/13] Cache acls on the nfs client side" ... 1 posts in 9KB for "[PATCH][6/12] InfiniBand/mthca: pass full process\_mad info to ...  
[www.kerneltraffic.org/kernel-traffic/stats/kt20050212\\_296\\_stats.html](http://www.kerneltraffic.org/kernel-traffic/stats/kt20050212_296_stats.html) - 65k - [Cached](#) - [Similar pages](#)

**Encyclopedia: Ethernet**

Promiscuous mode, in computer related fields, is generally used to refer to ...  
 A 10-gigabit ethernet protocol using 4-laned copper Infiniband connectors. ...  
[www.nationmaster.com/encyclopedia/Ethernet](http://www.nationmaster.com/encyclopedia/Ethernet) - 119k - [Cached](#) - [Similar pages](#)

**ibd.c**

ibd.c InfiniBand. /usr/src/uts/common/io/ib/clients/ibd/ibd.c ... Else, just store the 4082 \* information, print when we enter **promiscuous** 4083 \* mode or ...  
[cvs.opensolaris.org/source/xref/usr/src/uts/common/io/ib/clients/ibd/ibd.c](http://cvs.opensolaris.org/source/xref/usr/src/uts/common/io/ib/clients/ibd/ibd.c) - 513k - [Cached](#) - [Similar pages](#)

**gld.c**

... 658 } 659 660 /\* 661 \* For now, only Infiniband drivers can use MDT. ...  
 If the **promiscuous** 2013 \* state is in flux it doesn't matter much if we get ...  
[cvs.opensolaris.org/source/xref/usr/src/uts/common/io/gld.c](http://cvs.opensolaris.org/source/xref/usr/src/uts/common/io/gld.c) - 513k - [Cached](#) - [Similar pages](#)

[ More results from [cvs.opensolaris.org](http://cvs.opensolaris.org) ]

### [Neohapsis Archives - Freshmeat News - #0015 - \[fm-news\] Newsletter ...](#)

About: Distributed Checksum Clearinghouse (DCC) is a system of clients and ...

It can listen on a promiscuous network interface or read store ...

[archives.neohapsis.com/archives/apps/freshmeat/2005-01/0015.html](http://archives.neohapsis.com/archives/apps/freshmeat/2005-01/0015.html) - 66k - [Cached](#) - [Similar pages](#)

### [Bookpool: Microsoft Encyclopedia of Networking, Second Edition](#)

Multicast Address Dynamic Client Allocation Protocol (MADCAP) 790 ... **promiscuous**

mode 947 protocol 948 protocol converter 948 protocol file 949 ...

[www.bookpool.com/sm/0735613788](http://www.bookpool.com/sm/0735613788) - 70k - [Cached](#) - [Similar pages](#)

### [Bookpool: Microsoft Encyclopedia of Networking, Second Edition](#)

... Computing Architecture (ICA) 591 index 592 Infiniband (IB) 592 ... 842 network client

843 Network Client 3 for ... IP address 946 Project 802 947 **promiscuous mode** 947 ...

[www.bookpool.com/x/RRRRRR/sm/0735613788](http://www.bookpool.com/x/RRRRRR/sm/0735613788) - 71k - Supplemental Result - [Cached](#) - [Similar pages](#)

[ More results from [www.bookpool.com](http://www.bookpool.com) ]

### [INTERNET-DRAFT Sean Harnedy Mangrove Systems, Inc. Expires: April ...](#)

ifPromiscuousMode Usually "false" but one could create a **promiscuous** device ...

InfiniBand Interface MIB Definitions IB-IF-MIB DEFINITIONS ::= BEGIN IMPORTS ...

[www1.ietf.org/proceedings\\_new/04nov/IDs/draft-ietf-ipob-ibif-mib-07.txt](http://www1.ietf.org/proceedings_new/04nov/IDs/draft-ietf-ipob-ibif-mib-07.txt) - 58k - [Cached](#) - [Similar pages](#)

### [Day changed -- Log opened Sun Aug 07 23:59:02 2005 00:25 ...](#)

Tv (~Tv@GMMCXXXIV.dsl.saunalahti.fi) has quit [Quit: Client exiting] 02:01 -!

... whole Viron thing relies on Infiniband as an interconnect at the moment. ...

[www.linode.com/xen/irc/logs/xen.log-2005-08-08](http://www.linode.com/xen/irc/logs/xen.log-2005-08-08) - 38k - [Cached](#) - [Similar pages](#)

### [SourceForge.net: File Release Notes and Changelog](#)

Due to an insufficient DMA lock checking, any authorized client could send ...

Number Generator support o added: Deny **promiscuous** mode for interfaces o ...

[sourceforge.net/project/shownotes.php?group\\_id=49048&release\\_id=127402](http://sourceforge.net/project/shownotes.php?group_id=49048&release_id=127402) - 117k - [Cached](#) - [Similar pages](#)

### [SourceForge.net: File Release Notes and Changelog](#)

... in set\_bh\_page() o fixed: max\_addr\_len() for InfiniBand support o ... Generator support

o added: Deny **promiscuous** mode for ... running OE w/NAT, where clients behind OE ...

[sourceforge.net/project/shownotes.php?release\\_id=127402](http://sourceforge.net/project/shownotes.php?release_id=127402) - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

### [Ethernet: Definition and Much More From Answers.com](#)

Like the client machines, Ethernet switches and hubs also support 10/100 and ...

it uses InfiniBand 4x connectors and CX4 cabling and allows a cable length ...

[www.answers.com/topic/ethernet](http://www.answers.com/topic/ethernet) - 93k - [Cached](#) - [Similar pages](#)

### [ftp.lami.univ-evry.fr/ftp.kernel.org/linux/kernel/...](#)

... in set\_bh\_page() o fixed: max\_addr\_len() for InfiniBand support o ... Generator support

o added: Deny **promiscuous** mode for ... running OE w/NAT, where clients behind OE ...

81k - Supplemental Result - [Cached](#) - [Similar pages](#)

### [\[PDF\] Contents](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 219 Client . . . . . 220 Client/Server Computing . . . . .

[www.osborne.com/products/0072120053/0072120053\\_toc.pdf](http://www.osborne.com/products/0072120053/0072120053_toc.pdf) - Supplemental Result - [Similar pages](#)

### [Edu\\_Rss](#)

roundup Plus: HP to sell Voltaire's InfiniBand switch. ... With stories on 'friends with benefits' and **promiscuous** sexual behavior, teen sexuality is often ...

[www.downes.ca/archive/04/10\\_18\\_Edu\\_RSS.htm](http://www.downes.ca/archive/04/10_18_Edu_RSS.htm) - 99k - [Cached](#) - [Similar pages](#)

### [\[PDF\] Reporting IETF 62th Minneapolis, March 6th - 11th 2005](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

client/server multicast applications (as done for unicast) and to have the ...

There is a problem with another draft in infiniband, that mentions some ID ...

[sem2.renater.fr/ipv6/biblio/presentations/IETF62-report.pdf](http://sem2.renater.fr/ipv6/biblio/presentations/IETF62-report.pdf) - [Similar pages](#)

### [Acknowledgments xxxv Preface to the Second Edition xxxvii ...](#)

Multicast Address Dynamic Client Allocation Protocol (MADCAP), 790 ... **promiscuous** mode, 947. protocol, 948. protocol converter, 948. protocol file, 949 ...

[docendo.bai.nu/img/innehall/0735613788.htm](http://docendo.bai.nu/img/innehall/0735613788.htm) - 178k - [Cached](#) - [Similar pages](#)

### [Usenet replayer's subject overview of "fa.linux.kernel"](#)

... s are needed; [patch 11/13] Client side of ... [openib-general] [PATCH][13/12]

InfiniBand/mthca: initialize ... ethernet driver fails to put port into **promiscuous** or ...

[www.usenet-replayer.com/summary/fa.linux.kernel.html](http://www.usenet-replayer.com/summary/fa.linux.kernel.html) - 83k - Supplemental Result - [Cached](#) - [Similar pages](#)

#### Changelog from v4.16s -> v4.17s

... in set\_bh\_page() o fixed: max\_addr\_len() for InfiniBand support o fixed: ...  
Number Generator support o added: Deny promiscuous mode for interfaces o ...

[kernel.org/pub/linux/kernel/people/mcp/2.4-WOLK/2.4-WOLK-CHANGELOG](http://kernel.org/pub/linux/kernel/people/mcp/2.4-WOLK/2.4-WOLK-CHANGELOG) - 72k - [Cached](#) - [Similar pages](#)

#### ipoc Model Cover Page for Deliverables

File Format: Microsoft Word 2000 - [View as HTML](#)

InfiniBand Architecture is a new approach to I/O technology and a common I/O ...

Promiscuous caching therefore requires redundancy and cryptographic ...

[edg-wp2.web.cern.ch/edg-wp2/docs/DataGrid-02-D2.1-0105-2\\_0.doc](http://edg-wp2.web.cern.ch/edg-wp2/docs/DataGrid-02-D2.1-0105-2_0.doc) - [Similar pages](#)

#### Computer Sweden - Sveriges IT-tidning - dagliga nyheter om it ...

I icke-avlyssningsläge (non-promiscuous mode) läser de bara adresserna. ...  
Med infiniband ska det gå att skicka data i en takt på upp till 2,5 gigabit per ...  
[computersweden.idg.se/b/446](http://computersweden.idg.se/b/446) - 455k - [Cached](#) - [Similar pages](#)

#### [PDF] Firmware loading using standardized protocols LU Linus Walleji

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Tooth and InfiniBand. It is currently only defined for Ethernet II ... the Ehtereal  
packet sniffer in **promiscuous mode** on my home network, ...  
[www.df.lth.se/~triad/papers/firmware.pdf](http://www.df.lth.se/~triad/papers/firmware.pdf) - [Similar pages](#)

#### Wed Jan 19 2005 Horms <horms@verge.net.au> kernel-2.4.21-27.0.2.EL ...

... (Jim Paradis) - correct **promiscuous** mode counter handling (Dave Miller) ...

Increase MAX\_ADDR\_LEN from 8 to 32 for Infiniband over IP (Tom Coughlan) ...

[www.ultramonkey.org/download/2.0.1/rh.el.3.0/SRPMS/kernel-2.4.21-27.0.2.EL.um.1.ChangeLog](http://www.ultramonkey.org/download/2.0.1/rh.el.3.0/SRPMS/kernel-2.4.21-27.0.2.EL.um.1.ChangeLog) - 88k - [Cached](#) - [Similar pages](#)

#### kernel-2.4.21-20.EL.asp.i686 RPM

... (Jim Paradis) - correct **promiscuous** mode counter handling (Dave Miller) ...

tcp client corruption and alignment (Steve Dickson) - rhconfig.h stuff for ...

[rpmfind.net/linux/RPM/ASP/i386/updates/9.1/i686/kernel-2.4.21-20.EL.asp.i686.html](http://rpmfind.net/linux/RPM/ASP/i386/updates/9.1/i686/kernel-2.4.21-20.EL.asp.i686.html) - 115k - [Cached](#) - [Similar pages](#)

#### kernel-doc-2.4.21-20.EL.asp.i386 RPM

... truncate64() on x86\_64 (Jim Paradis) - correct **promiscuous** mode counter  
handling (Dave Miller) ... /usr/share/doc/kernel-doc-2.4.21/i2c/writing-clients ...

[rpmfind.net/linux/RPM/ASP/i386/updates/9.1/i386/kernel-doc-2.4.21-20.EL.asp.i386.html](http://rpmfind.net/linux/RPM/ASP/i386/updates/9.1/i386/kernel-doc-2.4.21-20.EL.asp.i386.html) - 105k - [Cached](#) - [Similar pages](#)

[ More results from rpmfind.net ]

#### 书名 - [ Translate this page ]

... 311 Incident Response 事件响应312 InfiniBand 无限频带312 ... Private Network

专用网络527 Promiscuous Mode 混杂模式 ... 648 Thin Clients 瘦客户机648 ...

[www.sanxinbook.com/search/sx\\_showq.asp?id=127296](http://www.sanxinbook.com/search/sx_showq.asp?id=127296) - 59k - Supplemental Result - [Cached](#) - [Similar pages](#)

#### ftp.irb.hr/pub/kernel/people/mcp/tmp/2.4-WOLK-CHAN...

... in set\_bh\_page() o fixed: max\_addr\_len() for InfiniBand support o ... Generator support  
o added: Deny **promiscuous** mode for ... running OE w/NAT, where clients behind OE ...  
64k - Supplemental Result - [Cached](#) - [Similar pages](#)

#### Linux-Kernel Archive: By Subject

[PATCH 00/16] Add InfiniBand userspace verbs (direct userspace access) ...

[PATCH 6/12] iseries\_veth: Fix broken **promiscuous** handling ...

[www.ussg.iu.edu/hypermail/linux/kernel/0506.3/subject.html](http://www.ussg.iu.edu/hypermail/linux/kernel/0506.3/subject.html) - 260k - [Cached](#) - [Similar pages](#)

#### Linux-Kernel Archive: By Subject

[PATCH][4/12] InfiniBand/core: fix port capability enums bit order ... ppc 8260

ethernet driver fails to put port into **promiscuous** or multicast modes ...

[www.ussg.iu.edu/hypermail/linux/kernel/0501.3/subject.html](http://www.ussg.iu.edu/hypermail/linux/kernel/0501.3/subject.html) - 306k - [Cached](#) - [Similar pages](#)

[ More results from www.ussg.iu.edu ]

#### natalia.stmarytx.edu/pub/linux/kernel/people/mcp/2...

... in set\_bh\_page() o fixed: max\_addr\_len() for InfiniBand support o ... Generator support  
o added: Deny **promiscuous** mode for ... running OE w/NAT, where clients behind OE ...  
68k - Supplemental Result - [Cached](#) - [Similar pages](#)

#### Summary: The Linux kernel (the core of the Linux operating system ...

... Increase MAX\_ADDR\_LEN from 8 to 32 for Infiniband over IP %patch2040 -p1 ...

(Jim Paradis) - correct **promiscuous** mode counter handling (Dave Miller) ...

[www.freevps.com/download/make\\_rpm/freevps-kernel-1.3.spec](http://www.freevps.com/download/make_rpm/freevps-kernel-1.3.spec) - 134k - [Cached](#) - [Similar pages](#)

[ISP Glossary and Internet Definitions Terms](#)

Infiniband, A standard created by Intel and other server manufacturers to... ...

Promiscuous Mode, Although it sounds naughty, as it relates to networking ...

[www.findanyisp.com/allglossary.shtml](http://www.findanyisp.com/allglossary.shtml) - 513k - [Cached](#) - [Similar pages](#)

[comp.os.linux.networking: By Thread](#)

Setting network output buffer size Don Brinn (07/22/03); Infiniband switchless

... setup signature not found on diskless client himanshu9813 (07/04/03) ...

[linux.derkeiler.com/Newsgroups/comp.os.linux.networking/2003-07/](http://linux.derkeiler.com/Newsgroups/comp.os.linux.networking/2003-07/) - 111k - [Cached](#) - [Similar pages](#)

[Linux-Kernel: By Thread](#)

Patch for CIFS vfs client Nitin (01/31/05); ANNOUNCE: usbutils-0.70 David Brownell

... [2.6 patch] infiniband: possible cleanups Adrian Bunk (01/03/05) ...

[linux.derkeiler.com/Mailing-Lists/Kernel/2005-01/](http://linux.derkeiler.com/Mailing-Lists/Kernel/2005-01/) - 391k - [Cached](#) - [Similar pages](#)

[WebWarrior NGC-Archive](#)

However, there are various great free implementations of ssh clients or servers

... By then, every server sold will likely be InfiniBand-capable and the new ...

[www.webwarrior.net/news/arc3-2001.html](http://www.webwarrior.net/news/arc3-2001.html) - 513k - [Cached](#) - [Similar pages](#)

[RPM Search](#)

correct promiscuous mode counter handling (Dave Miller) ... Increase MAX\_ADDR\_LEN from 8 to 32 for Infiniband over IP (Tom Coughlan) ...

[rpm.pbone.net/index.php3/stat/22/idpl/2110916/com/changelog.html](http://rpm.pbone.net/index.php3/stat/22/idpl/2110916/com/changelog.html) - 113k - [Cached](#) - [Similar pages](#)

[Inrenet-Drafts Index](#)

This document presents an overview of the InfiniBand architecture. ... In an

IPLS, as in a VPLS, LAN interfaces are run in **promiscuous mode**, and frames are ...

[rfc.netvolante.jp/rfc.php?mode=1id&param=1id-abstracts.txt](http://rfc.netvolante.jp/rfc.php?mode=1id&param=1id-abstracts.txt) - 513k - [Cached](#) - [Similar pages](#)

[DistroWatch.com: Put the fun back into computing. Use Linux, BSD.](#)

... makes the setup of a thin-client server easier ... I felt a bit **promiscuous** by doing that, but it ... Kernel: Xen; InfiniBand; Merging FUSE; Which filesystem for Samba4 ...

[distrowatch.openrubas.org/weekly.php?issue=20041115](http://distrowatch.openrubas.org/weekly.php?issue=20041115) - 95k - Supplemental Result - [Cached](#) - [Similar pages](#)

[History for LAM/MPI ===== This file contains the ...](#)

... Added first version of Infiniband RPI module ... where to create temporary files - Added "promiscuous" and "expected" ... Fixed a problem where the IMPI client was not ...

[cluster.earlham.edu/html/detail/cairo/src/lam-7.1-beta-16/HISTORY](http://cluster.earlham.edu/html/detail/cairo/src/lam-7.1-beta-16/HISTORY) - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

[\[PDF\] LAM/MPI User's Guide Version 7.1.1](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Regardless of what mpirun believes, attempting to checkpoint the MPI application will fail. 3.2.2 Infiniband rpi Module ... Whichever Infiniband driver is (7.1.1) ...

[www.eie.fceia.unr.edu.ar/ftp/Digital%20III/2004/ardecom/procesamiento-paralelo/Lammp/7.1.1-user.pdf](http://www.eie.fceia.unr.edu.ar/ftp/Digital%20III/2004/ardecom/procesamiento-paralelo/Lammp/7.1.1-user.pdf) - Supplemental Result - [Similar pages](#)

[\[PDF\] ABSTRACT](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... To meet a higher I/O needs for network systems, a new InfiniBand Architecture (IBA) [16] was ... InfiniBand has been adopted by most IT vendors as ...

[www.huangben.com/Ben.pdf](http://www.huangben.com/Ben.pdf) - Supplemental Result - [Similar pages](#)

[ISP Glossary](#)

Infiniband, A standard created by Intel and other server manufacturers to... ...

Promiscuous Mode, Although it sounds naughty, as it relates to networking. ...

[isprank.com/Glossary.html](http://isprank.com/Glossary.html) - 818k - [Cached](#) - [Similar pages](#)

[From ivan.ivanyi@sb-sib.ch Mon Nov 1 09:14:08 2004 From: ivan ...](#)

Whenever you start tcpdump, the Nic switch to **promiscuous mode**, accepting pretty much ... What = Infiniband switches and Infiniband cable does ROCKS support. ...

<https://lists.sdsc.edu/pipermail/npaci-rocks-discussion/2004-November.txt> - 513k - [Cached](#) - [Similar pages](#)

[From fds@sdsc.edu Tue Jun 1 00:30:53 2004 From: fds@sdsc.edu ...](#)

20 I've not done this myself, but why not have the clients use multicast? ...

a single RPM with the extend-compute.xml file for our InfiniBand drivers. ...

<https://lists.sdsc.edu/pipermail/npaci-rocks-discussion/2004-June.txt> - 513k - [Cached](#) - [Similar pages](#)

[Summary: The Linux kernel \(the core of the Linux operating system\) ...](#)

... MAX\_ADDR\_LEN from 8 to 32 for Infiniband over IP ... on x86\_64 (Jim Paradis) - correct

promiscuous mode counter ... up file locks when NFS clients receive signals ...

[apt.kde-redhat.org/apt/fedora/SPECS/kernel-2.4-EL.spec](http://apt.kde-redhat.org/apt/fedora/SPECS/kernel-2.4-EL.spec) - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

[Dr. Phil: Gizmodo's new arch-nemesis](#)

(HP) to share responsibility for Dell Inc.'s client product group with John Medica,  
... Byte and Switch: Dell Joins InfiniBand. I'd love to see Dell put the ...  
[www.stargeek.com/item/20193.html](http://www.stargeek.com/item/20193.html) - 92k - [Cached](#) - [Similar pages](#)

[Blocking Rogue Access Points in Real Time With AirMagnet](#)

LucidLink Wireless Client also works with the company's 802.1X-based ... of open  
access points and promiscuous Wi-Fi cards: They'd like to piggyback some ...  
[www.stargeek.com/item/88474.html](http://www.stargeek.com/item/88474.html) - 92k - [Cached](#) - [Similar pages](#)

[\(PDF\) Microsoft PowerPoint - Q1237-StefanSinger](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. MOTOROLA and the Stylized M Logo are registered in the US Patent  
& Trademark Office. All other product or service names are ...

[www.freescale.com/files/sndf/doc/reports\\_presentations/SNDF2003\\_DALLAS\\_Q1237.pdf](http://www.freescale.com/files/sndf/doc/reports_presentations/SNDF2003_DALLAS_Q1237.pdf) - Supplemental Result - [Similar pages](#)

[\(PDF\) Microsoft PowerPoint - Q1202-NigelDick&GordonBradford.ppt \[Read-Only\]](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

InfiniBand electrical specs. - 1, 2 and 2.5 Gb/s per lane ... Supports Promiscuous  
mode. • Supports stashing of data data into level 2 cache ...

[www.freescale.com/files/sndf/doc/reports\\_presentations/SNDF2003\\_EUROPE\\_Q1202B.pdf](http://www.freescale.com/files/sndf/doc/reports_presentations/SNDF2003_EUROPE_Q1202B.pdf) - [Similar pages](#)

[CVS Update@linux-mips.org: linux](#)

The bonding driver handles promiscuous mode changes to the bonding ... +# +#

CONFIG\_MMC is not set + +# +# InfiniBand support +# +# CONFIG\_INFINIBAND is not ...

[www.linux-mips.org/archives/linux-cvs-patches/2005-08/msg00022.html](http://www.linux-mips.org/archives/linux-cvs-patches/2005-08/msg00022.html) - 513k - [Cached](#) - [Similar pages](#)

[From vnuorval@tcs.hut.fi Fri Aug 1 04:15:27 2003 Received: with ...](#)

The InfiniBand people unfortunately call also their TCP/IP bypass "TOE" (for ...

As I said - promiscuous mode and filtering on the receive side - which is ...

[oss.sgi.com/archives/mbox/netdev/2003-08](http://oss.sgi.com/archives/mbox/netdev/2003-08) - 513k - [Cached](#) - [Similar pages](#)

[From owner-netdev@oss.sgi.com Sun Jun 2 02:03:39 2002 Received: ...](#)

Specifically, the IETF IPoIB group has defined an Infiniband hardware address

... Should be obvious that if a combination of load and client behaviour cause ...

[oss.sgi.com/archives/mbox/netdev/2002-06](http://oss.sgi.com/archives/mbox/netdev/2002-06) - 511k - [Cached](#) - [Similar pages](#)

[ClusterCentral](#)

... eth0 allmulti like Chris or running interfaces in promiscuous mode didn ... Re:  
[ Rocks-Discuss] LAM MPI on Infiniband. ... can client node install from wan central server ...

[clustercentral.com/?idx=5490](http://clustercentral.com/?idx=5490) - 93k - Supplemental Result - [Cached](#) - [Similar pages](#)

[ClusterCentral](#)

... ifconfig eth0 allmulti like Chris or running interfaces in promiscuous mode didn ...  
can client node install from wan central server? ... Infiniband Roll compatibility. ...

[clustercentral.com/?idx=5491](http://clustercentral.com/?idx=5491) - 94k - Supplemental Result - [Cached](#) - [Similar pages](#)

[ [More results from clustercentral.com](#) ]

[kernel-smp-2.4.21-20.0.1.EL.cern.x86\\_64 RPM](#)

... truncate64() on x86\_64 (Jim Paradis) - correct promiscuous mode counter ...

Increase MAX\_ADDR\_LEN from 8 to 32 for Infiniband over IP (Tom Coughlan) ...

[linuxsoft.cern.ch/repository/x86\\_64updates/kernel-smp-2.4.21-20.0.1.EL.cern.x86\\_64.html](http://linuxsoft.cern.ch/repository/x86_64updates/kernel-smp-2.4.21-20.0.1.EL.cern.x86_64.html) - 81k - [Cached](#) - [Similar pages](#)

[Summary of changes from v2.6.7-rc1 to v2.6.7-rc2 ...](#)

<roland@topspin.com> [PATCH] PCI: Add InfiniBand HCA IDs to pci\_ids.h Add ...

patch avoids a timeout when entering/exiting promiscuous mode with tcpdump. ...

[www.kernel.org/pub/linux/kernel/v2.6/testing/ChangeLog-2.6.7-rc2](http://www.kernel.org/pub/linux/kernel/v2.6/testing/ChangeLog-2.6.7-rc2) - 132k - [Cached](#) - [Similar pages](#)

[United States Patent Application: 0050120141](#)

In another example, a networking stack may request a promiscuous mode while ...

Client drivers can be enumerated in a manner similar to PCI bus systems or ...

[appft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO2&Sect2=HIOFF&p=2&u=%2Fnetacgi%2FPTO%2Fsearch-...](http://appft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO2&Sect2=HIOFF&p=2&u=%2Fnetacgi%2FPTO%2Fsearch-...) - 115k -

[Cached](#) - [Similar pages](#)

[\(PDF\) INFORMATION SOCIETY TECHNOLOGIES \(IST\) PROGRAMME D0.1 " ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. INFORMATION SOCIETY TECHNOLOGIES (IST) PROGRAMME A Scaleable Monitoring

Platform for the Internet Contract No. IST-2001-32404 ...

[www.asociacion-aecsi.es/doc/General\\_Info/A\\_Scaleable\\_Monitoring\\_Platform\\_for\\_the\\_Internet.pdf](http://www.asociacion-aecsi.es/doc/General_Info/A_Scaleable_Monitoring_Platform_for_the_Internet.pdf) - Supplemental Result - [Similar pages](#)

[ethernet](#)

... Ethernet, Fibre Channel, IEEE 1394, InfiniBand, PCI Express ... Network Monitor provides

true promiscuous 802.11b ... protocol, protocol, tdi, tdi client, tdi filter ...  
[www.my-ip-address.com/etherne/](http://www.my-ip-address.com/etherne/) - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] [A detailed performance analysis of UDP/IP, TCP/IP, and M-VIA ...](#)  
File Format: PDF/Adobe Acrobat  
interface in promiscuous mode. It then forms a UDP packet from the ... Since the primary motivation for InfiniBand technology is to remove I/O process- ...  
[iospress.metapress.com/index/LN8DHX734DGKYYFK.pdf](http://iospress.metapress.com/index/LN8DHX734DGKYYFK.pdf) - [Similar pages](#)

[Adfunk Tech Assist: July 2005](#)  
... it uses InfiniBand 4x connectors and CX4 cabling and allows a cable ...  
Since starting this approach, I have generated three new paying clients and ...  
[adstech.blogspot.com/2005\\_07\\_01\\_adstech\\_archive.html](http://adstech.blogspot.com/2005_07_01_adstech_archive.html) - 487k - [Cached](#) - [Similar pages](#)

[Changes: V5.1 -> V5.2 2004-11-24 10:55 hardaker \\* README: update ...](#)  
... ifLinkUpDownTrapEnable - don't allow set of promiscuous mode, since it's not ...  
... 2004-07-30 17:26 hardaker \* agent/mibgroup/agentx/: client.c, client.h, ...  
[www.opensource.apple.com/darwinsource/10.4.1/net\\_snmp-16/net-snmp/ChangeLog](http://www.opensource.apple.com/darwinsource/10.4.1/net_snmp-16/net-snmp/ChangeLog) - 513k - [Cached](#) - [Similar pages](#)

[PDF] [Network Algorithmics: An Interdisciplinary Approach to Designing ...](#)  
File Format: PDF/Adobe Acrobat - [View as HTML](#)  
... 146 6.3.1 Process per Client 147 6.3.2 Thread per Client 148 6.3.3 Event-Driven Scheduler 150 6.3.4 Event-Driven Server with Helper Processes 150 ...  
[downloads.ebuki.powernews.ru/Morgan.Kaufmann//Morgan.Kaufmann.Network.Algorithmics.An.Interdisciplinary.A...](http://downloads.ebuki.powernews.ru/Morgan.Kaufmann//Morgan.Kaufmann.Network.Algorithmics.An.Interdisciplinary.A...) - Supplemental Result - [Similar pages](#)

[Patch Name: PHKL\\_31500 Patch Description: s700\\_800 11.23 Sept04 ...](#)  
Any critical resources attached to the Infiniband Subsystem will be ... Resolution:  
Btlan wakes up DLPI only once for setting SAP promiscuous mode request. ...  
[www.informatik.uni-frankfurt.de/RBI/hp-service/patches/s700\\_800/11.X/PHKL\\_31500.txt](http://www.informatik.uni-frankfurt.de/RBI/hp-service/patches/s700_800/11.X/PHKL_31500.txt) - 914k - [Cached](#) - [Similar pages](#)

[Linux Kernel: by author](#)  
Re: 2.6.11-rc2-mm1: kernel bad access while booting diskless client (Jan 27 2005)  
... ppc 8260 ethernet driver fails to put port into promiscuous or mu ...  
[seclists.org/lists/linux-kernel/2005/Jan/author.html](http://seclists.org/lists/linux-kernel/2005/Jan/author.html) - 513k - [Cached](#) - [Similar pages](#)

[XML Articles and definitions](#)  
JK Lasser Pro Advising Mature Clients : The New Science of Wealth Span ...  
**Promiscuous Customers:**Invisible Brands: Delivering Value in Digital Markets - ...  
[homepages.nildram.co.uk/~worrelli/bookpage.htm](http://homepages.nildram.co.uk/~worrelli/bookpage.htm) - 513k - [Cached](#) - [Similar pages](#)

[fm-news] [Newsletter for Sunday, January 16th 2005](#)  
Changes: A helper API for developing customized client GUI modules was implemented ... It can listen on a promiscuous network interface or read store pcap ...  
[info.ccne.at/NEWS/msg02247.html](http://info.ccne.at/NEWS/msg02247.html) - 58k - [Cached](#) - [Similar pages](#)

[PDF] [C:\Andrzej\PDFVABC\\_nagrywania\\_p\\_yt\\_CD\1 strona.cdr](#)  
File Format: PDF/Adobe Acrobat - [View as HTML](#)  
Page 1. Wydawnictwo Helion ul. Chopina 6 44-100 Gliwice tel. (32)230-98-63 e-mail:  
[helion@helion.pl](mailto:helion@helion.pl) PRZYKŁADOWY ROZDZIAŁ PRZYKŁADOWY ROZDZIAŁ IDZ DO IDZ DO ...  
[czytelnia.top24.pl/modules/booklists/visit.php?cid=4&lid=187](http://czytelnia.top24.pl/modules/booklists/visit.php?cid=4&lid=187) - Supplemental Result - [Similar pages](#)

[Git Tracker](#)  
Documentation/infiniband/core\_locking.txt, Goto repository ... The bonding driver handles promiscuous mode changes to the bonding -master device (eg, ...  
[www.tglx.de/.../showcommit/tracker-linux/](http://www.tglx.de/.../showcommit/tracker-linux/) dwmw2/audit-2.6.git/c973b112c76c9d8fd042991128f218a738cc8d0a - 513k - [Cached](#) - [Similar pages](#)

[Linux Kernel Developpment Mailing List \(date\)](#)  
... ethernet driver fails to put port into promiscuous or mu llcast modes, ...  
[PATCH][16/18] InfiniBand: update copyrights for new year, Roland Dreier, ...  
[www.archivum.info/linux-kernel@vger.kernel.org/2005-01/](http://www.archivum.info/linux-kernel@vger.kernel.org/2005-01/) - 978k - [Cached](#) - [Similar pages](#)

[tonnikala.net : Linux 2.6.7-rc2 -Changelog](#)  
[PATCH] PCI: Add InfiniBand HCA IDs to pci\_ids.h Add InfiniBand HCA IDs to ... patch avoids a timeout when entering/exiting promiscuous mode with tcpdump. ...  
[tonnikala.net/2004/22/linux267rc2fullchangelog.php](http://tonnikala.net/2004/22/linux267rc2fullchangelog.php) - 135k - [Cached](#) - [Similar pages](#)

[CI Financial Ready To Go Hostile for Amvescap](#)  
Master the Media to Attract Your Ideal Clients: A Personal Marketing ...  
**Promiscuous Customers:**Invisible Brands: Delivering Value in Digital Markets - ...  
[www.softwaretest.force9.co.uk/bookpage.htm](http://www.softwaretest.force9.co.uk/bookpage.htm) - 513k - [Cached](#) - [Similar pages](#)

.....TopLayer에 오신걸 환영합니다..... - [ [Translate this page](#) ]

LAN emulation client. 단일 ELAN 내의 단일 ES를 위해 데이터 포워딩, 주소 분석,

... 센서들은 보통 **promiscuous** 모드로 작동하며, IP 주소가 없기도 하다. ...

[www.f-net.co.kr/toplayer/support/terms.html](http://www.f-net.co.kr/toplayer/support/terms.html) - 948k - [Cached](#) - [Similar pages](#)

☒ [legal - business registration form](#)

... that depicts Jesus as a **promiscuous homosexual**), Marcavage ... an AMD64 cluster: OmniOpenMPPM/Infiniband for Fujitsu ... impressive Flash Chat Client 2005 Valentine ...

[www.legal-1st.info/business-registration-form.html](http://www.legal-1st.info/business-registration-form.html) - 92k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

[History for LAM/MPI](#) ===== This file contains the ...

Added first version of Infiniband RPI module (ib). ... Fixed a problem where the IMPI client was not properly endianizing IMPI\_CMD\_FINI before sending it to ...

[www.polarhome.com:793/doc/lam-7.1.1/HISTORY](http://www.polarhome.com:793/doc/lam-7.1.1/HISTORY) - 213k - [Cached](#) - [Similar pages](#)


[HighBeam Research](#)

HighBeam Library Research. Search our extensive archive of more than 34 million

documents from over 3000 sources -- a vast collection of articles from ...

[www.highbeam.com/index.asp?refid=ae\\_org\\_1](http://www.highbeam.com/index.asp?refid=ae_org_1) - 19k - [Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 97 already displayed.  
If you like, you can [repeat the search with the omitted results included](#).*



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google